

Eaton FXN539LPSWP

Catalog Number: FXN539LPSWP

Eaton Addressable wall sounder beacon: JSB, Addressable, Alarms and Beacons, Sounder Beacon, EN54 Systems, Wall Mounted, Red Plastic, Red Flash, Weatherproof

General specifications



Product Name	Catalog Number
Eaton Addressable wall sounder beacon	FXN539LPSWP
EAN	Product Length/Depth
5018987062206	105 mm
Product Height	Product Width
108 mm	108 mm
Product Weight	Compliances
0.32 kg	Contact Manufacturer

defaultTaxonomyAttributeLabel

Nominal voltage - max

28 V

Nominal voltage - min

18 V

Type of current

DC

Electricity consumption

0.0085 A

Power

0.238 W

Lens color

Red

Lamp type

LED

Sound output

100 dB

Type of optical signal

Flash light

Type of acoustic signal device

Sound generator

Type of acoustic signal

Programmable

Mounting Method

Surface mounting

Color housing

Red

Frequency sound signal - max

1.2 Kilo Hertz

Frequency sound signal - min

0.5 Kilo Hertz

Addressing mode

Soft addressing

Alarm current - max

8.5 mA

Alarm current - min

Resources

Technical data sheets

[eaton-fire-addressable-sounder-casb383-datasheet-2014](#)

6.5 mA

Construction material

ABS

EN Certified Tones

4

Humidity (Non Condensing) - Max

95 %

Humidity (Non Condensing) - Min

0 %

Operating temperature - max

55 °C

Operating temperature - min

-10 °C

Standby current

320

System typology

Addressable

Tones

4

Voice tones

No

Product branding

Eaton JSB

Degree of protection

IP66

Suitable for

Wall Mounting

Cable entry

Rear

Light color

Red

EN Certification Standards

EN54 Pt3 (Fire Alarm Sounders)

EN54 Pt17 (Short Circuit Isolator)

System wiring

2.5 mm



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)